



# The CalEPPC List: Exotic Pest Plants of Greatest Ecological Concern in California

October, 1999

The CalEPPC list is based on information submitted by our members and by land managers, botanists and researchers throughout the state, and on published sources. The list highlights non-native plants that are serious problems **in wildlands** (natural areas that support native ecosystems, including national, state and local parks, ecological reserves, wildlife areas, national forests, BLM lands, etc.).

## List categories include:

**List A:** Most Invasive Wildland Pest Plants; documented as aggressive invaders that displace natives and disrupt natural habitats. Includes two sub-lists; List A-1: Widespread pests that are invasive in more than 3 Jepson regions (see page 3), and List A-2: Regional pests invasive in 3 or fewer Jepson regions.

**List B:** Wildland Pest Plants of Lesser Invasiveness; invasive pest plants that spread less rapidly and cause a lesser degree of habitat disruption; may be widespread or regional.

**Red Alert:** Pest plants with potential to spread explosively; infestations currently small or localized. If found, alert CalEPPC, County Agricultural Commissioner or California Department of Food and Agriculture.

**Need More Information:** Plants for which current information does not adequately describe nature of threat to wildlands, distribution or invasiveness. Further information is requested from knowledgeable observers.

**Annual Grasses:** New in this edition; a preliminary list of annual grasses, abundant and widespread in California, that pose significant threats to wildlands. Information is requested to support further definition of this category in next List edition.

**Considered But Not Listed:** Plants that, after review of status, do not appear to pose a significant threat to wildlands.

## Plants that fall into the following categories are not included in the List:

- Plants found mainly or solely in disturbed areas, such as roadsides and agricultural fields.
- Plants that are established only sparingly, with minimal impact on natural habitats.



## 1999 List Review Committee:

**Dr. Lars W.J. Anderson,**  
**Research Leader**  
U.S. Dept. of Agriculture-ARS  
Aquatic Weed Research Lab.

**Dr. Joe DiTomaso,**  
**Extension Weed Ecologist**  
Weed Science Program  
Department of Vegetable Crops  
University of California, Davis

**Dr. G. Fred Hrusa,**  
**Senior Plant Systematist**  
Plant Pest Diagnostics Center  
California Department of Food &  
Agriculture

**Dr. Marcel Rejmánek,**  
**Professor of Plant Ecology**  
Section of Evolution and Ecology  
University of California, Davis

## CalEPPC List Committee:

**Ann Howald, Instructor**  
Santa Rosa Junior College

**Dr. John Randall,**  
**Invasive Weed Specialist**  
The Nature Conservancy

**Jake Sigg, President**  
California Native Plant Society

**Ellie Wagner, Botanist**  
California Dept. of Transportation

**Peter Warner,**  
**Restoration Coordinator**  
Golden Gate National Parks  
Association

The CalEPPC list is updated regularly. Please use the form provided to send comments, suggestions or new information to: **Peter Warner, 555 Magnolia Avenue, Petaluma, CA, 94952-2080**, or via email at **peterjwarner@earthlink.net**

*Thanks to all those who submitted comments for the 1999 list.*

# The California Exotic Pest Plant Council

## List A-1: Most Invasive Wildland Pest Plants; Widespread

Latin Name <sup>1</sup>	Common Name	Habitats of Concern and Other Comments	Distribution <sup>2</sup>
<i>Ammophila arenaria</i>	European beach grass	Coastal dunes	SCo,CCo,NCo
<i>Arundo donax</i>	giant reed, arundo	Riparian areas	cSNF,CCo,SCo,SnGb,D,GV
<i>Bromus tectorum</i>	cheat grass, downy brome	Sagebrush, pinyon-juniper, other desert communities; increases fire frequency	GB,D
<i>Carpobrotus edulis</i>	iceplant, sea fig	Many coastal communities, esp. dunes	SCo,CCo,NCo,SnFrB
<i>Centaurea solstitialis</i> <sup>C</sup>	yellow starthistle	Grasslands	CA-FP (uncommon in SoCal)
<i>Cortaderia jubata</i>	Andean pampas grass, jubatagrass	Horticultural; many coastal habitats, esp. disturbed or exposed sites incl. logged areas	NCo,NCoRO,SnFrB,CCo,WTR,SCo
<i>Cortaderia selloana</i>	pampas grass	Horticultural; coastal dunes, coastal scrub, Monterey pine forest, riparian, grasslands; wetlands in ScV; also on serpentine	SnFrB,SCo,CCo,ScV
<i>Cynara cardunculus</i> <sup>B</sup>	artichoke thistle	Coastal grasslands	CA-FP, esp. CCo,SCo
<i>Cytisus scoparius</i> <sup>C</sup>	Scotch broom	Horticultural; coastal scrub, oak woodlands, Sierra foothills	NW,CaRF,SNF,GV,SCo,CW
<i>Eucalyptus globulus</i>	Tasmanian blue gum	Riparian areas, grasslands, moist slopes	NCoRO,GV,SnFrB,CCo,SCoRO,SCo,nChI
<i>Foeniculum vulgare</i>	wild fennel	Grasslands; esp. SoCal, Channel Is.; the cultivated garden herb is not invasive	CA-FP
<i>Genista monspessulana</i> <sup>C</sup>	French broom	Horticultural; coastal scrub, oak woodlands, grasslands	NCoRO,NCoRI,SnFrB,CCo,SCoRO,sChI,WTR,PR
<i>Lepidium latifolium</i> <sup>B</sup>	perennial pepperweed, tall whitetop	Coastal, inland marshes, riparian areas, wetlands, grasslands; potential to invade montane wetlands	CA (except KR,D)
<i>Myriophyllum spicatum</i>	Eurasian watermilfoil	Horticultural; lakes, ponds, streams, aquaculture	SnFrB,SnJV,SNH(?); prob. CA
<i>Pennisetum setaceum</i>	fountain grass	Horticultural; grasslands, dunes, desert canyons; roadsides	Deltaic GV,CCo,SCo,SnFrB
<i>Rubus discolor</i>	Himalayan blackberry	Riparian areas, marshes, oak woodlands	CA-FP
<i>Senecio mikanioides</i> (= <i>Delairea odorata</i> )	Cape ivy, German ivy	Coastal, riparian areas, also SoCal (south side San Gabriel Mtns.)	SCo,CCo,NCo,SnFrB,SW
<i>Taeniatherum caput-medusae</i> <sup>C</sup>	medusa-head	Grasslands, particularly alkaline and poorly drained areas	NCoR,CaR,SNF,GV,SCo
<i>Tamarix chinensis</i> , <i>T. gallica</i> , <i>T. parviflora</i> & <i>T. ramosissima</i>	tamarisk, salt cedar	Desert washes, riparian areas, seeps and springs	SCo,D,SnFrB,GV,sNCoR,sSNF,Teh,SCoRI,SNE,WTR
<i>Ulex europaeus</i> <sup>B</sup>	gorse	North, central coastal scrub, grasslands	NCo,NCoRO,CaRF,n&cSNF,SnFrB,CCo

## <sup>1</sup>Noxious Weed Ratings

- F: Federal Noxious Weed, as designated by the USDA; targeted for federally-funded prevention, eradication or containment efforts.
- A: CA Dept. of Food & Agriculture, on “A” list of Noxious Weeds; agency policies call for eradication, containment or entry refusal.
- B: CA Dept. of Food & Agriculture, on “B” list of Noxious Weeds; includes species that are more widespread, and therefore more difficult to contain; agency allows county Agricultural Commissioners to decide if local eradication or containment is warranted.
- C: CA Dept. of Food & Agriculture, on “C” list of Noxious Weeds; includes weeds that are so widespread that the agency does not endorse state or county-funded eradication or containment efforts except in nurseries or seed lots.
- Q: CA Dept. of Food & Agriculture’s designation for temporary “A” rating pending determination of a permanent rating.

**For most species nomenclature follows *The Jepson Manual: Higher Plants of California* (Hickman, J., Ed., 1993).**

# Exotic Pest Plants of Greatest Ecological Concern in California

## List A-2: Most Invasive Wildland Pest Plants; Regional

Latin Name <sup>1</sup>	Common Name	Habitats of Concern and Other Comments	Distribution <sup>2</sup>
<i>Ailanthus altissima</i>	tree of heaven	Riparian areas, grasslands, oak woodlands, esp. GV, SCo	CA-FP
<i>Atriplex semibaccata</i>	Australian saltbush	SoCal, coastal grasslands, scrub, "high marsh" of coastal salt marshes	CA (except CaR,c&sSN)
<i>Brassica tournefortii</i>	Moroccan or African mustard	Washes, alkaline flats, disturbed areas in Sonoran Desert	SW,D
<i>Bromus madritensis</i> ssp. <i>rubens</i>	red brome	Widespread; contributing to SoCal scrub, desert scrub type conversions; increases fire frequency	CA
<i>Cardaria draba</i> <sup>B</sup>	white-top, hoary cress	Riparian areas, marshes of central coast; also ag. lands, disturbed areas	Problem only in CCo
<i>Conicosia pugioniformis</i>	narrow-leaved iceplant, roundleaf iceplant	Coastal dunes, sandy soils near coast; best documented in San Luis Obispo and Santa Barbara cos.	CCo
<i>Cotoneaster pannosus</i> , <i>C. lacteus</i>	cotoneaster	Horticultural; many coastal communities; esp. North Coast, Big Sur; related species also invasive	CCo,SnFrB,NW
<i>Cytisus striatus</i>	striated broom	Often confused with <i>C. scoparius</i> ; coastal scrub, grassland	SnFrB,CCo,SCo,PR
<i>Egeria densa</i>	Brazilian waterweed	Streams, ponds, sloughs, lakes; Sacramento-San Joaquin Delta	n&sSNF,SnJV,SnFrB,SnJt,SNE
<i>Ehrharta calycina</i>	veldt grass	Sandy soils, esp. dunes; rapidly spreading on central coast	CCo,SCoRO,WTR
<i>Eichhornia crassipes</i>	water hyacinth	Horticultural; established in natural waterways, esp. troublesome in Sacramento-San Joaquin Delta	GV,SnFrB,SCo,PR
<i>Elaeagnus angustifolia</i>	Russian olive	Horticultural; interior riparian areas	SnJV,SnFrB,SNE,DMoj
<i>Euphorbia esula</i> <sup>A</sup>	leafy spurge	Rangelands in far no. CA, also reported from Los Angeles Co.	eKR,NCo,CaR,MP,SCo
<i>Ficus carica</i>	edible fig	Horticultural; Central Valley, foothill, South Coast and Channel Is. riparian woodlands	nSNF,GV,SnFrB,SCo
<i>Lupinus arboreus</i>	bush lupine	Native to SCo, CCo; invasive only in North Coast dunes	SCo,CCo,NCo
<i>Mentha pulegium</i>	pennyroyal	Santa Rosa Plain (Sonoma Co.) and Central Valley vernal pools; wetlands elsewhere	NW,GV,CW,SCo
<i>Myoporum laetum</i>	myoporum	Horticultural; coastal riparian areas in SCo	SCo,CCo
<i>Saponaria officinalis</i>	bouncing bet	Horticultural; meadows, riparian habitat in SNE, esp. Mono Basin	NW,CaRH,nSNF,SnFrB,SCoRO,SCo,PR,MP,SNE,GV
<i>Spartina alterniflora</i>	Atlantic or smooth cordgrass	S.F. Bay salt marshes; populations in Humboldt Bay believed extirpated	CCo(shores of S.F. Bay)

## <sup>2</sup>Distribution by geographic subdivisions per the Jepson Manual

CA=California	GV=Great Valley	ScV=Sacramento Valley
CA-FP=California Floristic Province	KR=Klamath Ranges	SnJV=San Joaquin Valley
CaR=Cascade Ranges	MP=Modoc Plateau	SN=Sierra Nevada
CaRF=Cascade Range Foothills	NCo=North Coast	SNE=East of SN
CCo=Central Coast	NCoRI=Inner NCo Ranges	SNF=SN Foothills
ChI=Channel Islands	NCoRO=Outer NCo Ranges	SNH=High SN
CW=Central Western CA	NW=Northwestern CA	SnFrB=San Francisco Bay Area
D=Deserts	PR=Peninsular Ranges	SnGb=San Gabriel Mtns
DMoj=Mojave Desert	SCo=South Coast	SW=Southwestern CA
DSon=Sonoran Desert	SCoRI=Inner SCo Ranges	Teh=Tehachapi Mtns
GB=Great Basin	SCoRO=Outer SCo Ranges	WTR=Western Transverse Ranges

# The California Exotic Pest Plant Council

## List B: Wildland Pest Plants of Lesser Invasiveness

Latin Name <sup>1</sup>	Common Name	Habitats of Concern and Other Comments	Distribution <sup>2</sup>
<i>Ageratina adenophora</i> <sup>f</sup>	eupatory	Horticultural; coastal canyons, coastal scrub, slopes, Marin to San Diego Co; San Gabriel Mtns.	CCo,SnFrB,SCo,SCoRO
<i>Bassia hyssopifolia</i>	bassia	Alkaline habitats	CA (except NW,SNH)
<i>Bellardia trixago</i>	bellardia	Grasslands, on serpentine, where a threat to rare natives	NCoRO,CCo,SnFrB
<i>Brassica nigra</i>	black mustard	Coastal communities, esp. fog-belt grasslands; disturbed areas	CA-FP
<i>Cardaria chalapensis</i> <sup>B</sup>	lens-podded white-top	Wetlands of Central Valley	CA
<i>Carduus pycnocephalus</i> <sup>C</sup>	Italian thistle	Grasslands, shrublands, oak woodlands	sNCo,sNCoR,SNF,CW,SCo,ScV
<i>Centaurea calcitrapa</i> <sup>B</sup>	purple starthistle	Grasslands	NW,sCaRF,SNF,GV,CW,SW
<i>Centaurea melitensis</i>	tocalote, Malta starthistle	Widespread; sometimes misidentified as <i>C. solstitialis</i> ; perhaps a more serious invader than currently recognized	CA-FP,D
<i>Cirsium arvense</i> <sup>B</sup>	Canada thistle	Especially troublesome in riparian areas	CA-FP
<i>Cirsium vulgare</i>	bull thistle	Riparian areas, marshes, meadows	CA-FP,GB
<i>Conium maculatum</i>	poison hemlock	Mainly disturbed areas but may invade wildlands; known to poison wildlife; early expanding stage in many areas, esp. San Diego Co. riparian, oak understory	CA-FP
<i>Crataegus monogyna</i>	hawthorn	Horticultural; recent invader, colonizing healthy native forest around Crystal Springs reservoir on S.F. peninsula	SnFrB,CCo,NCo,NCoR
<i>Ehrharta erecta</i>	veldt grass	Wetlands, moist wildlands; common in urban areas; potential to spread rapidly in coastal, riparian, grassland habitats	SnFrB,CCo,SCo
<i>Erechtites glomerata</i> , <i>E. minima</i>	Australian fireweed	Coastal woodlands, scrub, NW forests, esp. redwoods	NCo,NCoRO,CCo,SnFrB,SCoRO
<i>Festuca arundinacea</i>	tall fescue	Horticultural (turf grass); coastal scrub, grasslands in NCo, CCo	CA-FP
<i>Hedera helix</i>	English ivy	Horticultural; invasive in coastal forests, riparian areas	CA-FP
<i>Holcus lanatus</i>	velvet grass	Coastal grasslands, wetlands in No. CA	CA exc. Dson
<i>Hypericum perforatum</i> <sup>C</sup>	Klamathweed, St. John's wort	Redwood forests, meadows, woodlands; invasion may occur due to lag in control by established biocontrol agents	NW,CaRH,n&cSN,ScV,CCo,SnFrB,PR
<i>Ilex aquifolium</i>	English holly	Horticultural; coastal forests, riparian areas	NCoRO,SnFrB,CCo
<i>Iris pseudacorus</i>	yellow water iris, yellow flag	Horticultural; riparian, wetland areas, esp. San Diego, Los Angeles cos.	SnFrB,CCo,sSnJV,SCo
<i>Leucanthemum vulgare</i>	ox-eye daisy	Horticultural; invades grassland, coastal scrub	KR,NCoRO,n&cSNH,SnFrB,WTR,PR
<i>Mesembryanthemum crystallinum</i>	crystalline iceplant	Coastal bluffs, dunes, scrub, grasslands; concentrates salt in soil	NCo,CCo,SCo,ChI
<i>Myriophyllum aquaticum</i>	parrot's feather	Horticultural; streams, lakes, ponds	NCo,CaRF,CW,SCo
<i>Olea europaea</i>	olive	Horticultural and agricultural; reported as invasive in riparian habitats in Santa Barbara, San Diego	NCoR,NCoRO,CCo,SnFrB,SCoRO,SCo
<i>Phalaris aquatica</i>	Harding grass	Coastal sites, esp. moist soils	NW,cSNF,CCo,SCo
<i>Potamogeton crispus</i>	curlyleaf pondweed	Scattered distribution in ponds, lakes, streams	NCoR,GV,CCo,SnFrB,SCo,ChI,SnGb,SnBr,DMoj
<i>Ricinus communis</i>	castor bean	SoCal coastal riparian habitats	GV,SCo,CCo
<i>Robinia pseudoacacia</i>	black locust	Horticultural; riparian areas, canyons; native to eastern U.S.	CA-FP,GB
<i>Schinus molle</i>	Peruvian pepper tree	Horticultural; invasive in riparian habitats in San Diego, Santa Cruz Is.	SNF,GV,CW,SW,Teh

# Exotic Pest Plants of Greatest Ecological Concern in California

## List B: Continued

Latin Name <sup>1</sup>	Common Name	Habitats of Concern and Other Comments	Distribution <sup>2</sup>
<i>Schinus terebinthifolius</i>	Brazilian pepper	Horticultural; riparian areas	sSCo
<i>Senecio jacobaea</i> <sup>B</sup>	tansy ragwort	Grasslands; biocontrol agents established	NCo,wKR,s&wCaR, nSNF, nScV,SW
<i>Spartium junceum</i>	Spanish broom	Coastal scrub, grassland, wetlands, oak woodland, NW forests, esp. redwoods; also roadcuts	NCoRO,ScV,SnFrB, SCoRO,SCo,sChI,WTR
<i>Verbascum thapsus</i>	woolly or common mullein	SNE meadows, sagebrush, pinyon-juniper woodlands; shores of Boggs Lake (Lake Co.)	CA
<i>Vinca major</i>	periwinkle	Horticultural; riparian, oak woodland, other coastal habitats	NCoRO,SnFrB, CCo, sSCoRO,SCo

## Red Alert: Species with potential to spread explosively; infestations currently restricted

Latin Name <sup>1</sup>	Common Name	Habitats of Concern and Other Comments	Distribution <sup>2</sup>
<i>Alhagi pseudalhagi</i> <sup>A</sup>	camel thorn	Noxious weed of arid areas; most infestations in California have been eradicated	GV,sSNE,D
<i>Arctotheca calendula</i> <sup>A</sup>	Capeweed	Seed-producing types are the problem; most are vegetative only	NCo,SnFrB,CCo
<i>Centaurea maculosa</i> <sup>A</sup>	spotted knapweed	Riparian, grassland, wet meadows, forest habitats; contact CA Food & Ag if new occurrences found	CaR,SN,nScV,nCW,MP, nSNE,sPR,NW
<i>Crupina vulgaris</i> <sup>F,A</sup>	bearded creeper, common crupina	Aggressively moving into wildlands, esp. grassland habitats	NCoR (Sonoma Co.),MP
<i>Halogeton glomeratus</i> <sup>A</sup>	halogeton	Noxious weed of Great Basin rangelands; report locations to CA Food & Ag; goal is exclusion from CA	GB
<i>Helichrysum petiolare</i>	licorice plant	North coastal scrub; one population on Mt. Tamalpais, w. Marin Co.	Not in Jepson
<i>Hydrilla verticillata</i> <sup>F,A</sup>	hydrilla	Noxious water weed; report locations to CA Food & Ag; eradication program in place; found in Clear Lake (Lake Co.) in 1994	NCoRI,n&cSNF,ScV,SCo,D
<i>Lythrum salicaria</i> <sup>B</sup>	purple loosestrife	Horticultural; noxious weed of wetlands, riparian areas	sNCo,NCoRO,nSNF,ScV, SnFrB,nwMP
<i>Ononis alopecuroides</i> <sup>Q</sup>	foxtail restharrow	Eradication efforts underway in San Luis Obispo Co.; to be looked for elsewhere in CA	CCo; not in Jepson
<i>Retama monosperma</i>	bridal broom	First noted at Fallbrook Naval Weapons Station, San Diego Co; could rival other invasive brooms	San Diego Co.; not in Jepson
<i>Salvinia molesta</i> <sup>F</sup>	giant waterfern	Ponds, lakes, reservoirs, canals	Napa, Sonoma cos., lower Colorado River; not in Jepson
<i>Sapium sebiferum</i>	Chinese tallow tree	Horticultural; riparian, wetland habitats, open areas and understory	ScV,SnFrB; not in Jepson
<i>Sesbania punicea</i>	scarlet wisteria tree	Horticultural; riparian areas; American River Parkway, Sacramento Co., Suisun Marsh, San Joaquin River Parkway	ScV,SnJV; not in Jepson
<i>Spartina anglica</i>	cord grass	Scattered in S.F. Bay	Not in Jepson
<i>Spartina densiflora</i>	dense-flowered cord grass	Scattered in S.F. Bay, Humboldt Bay salt marshes	CCo,NCo
<i>Spartina patens</i>	salt-meadow cord grass	One site in S.F. Bay, also Siuslaw Estuary, OR and Puget Sound, WA	CCo

# The California Exotic Pest Plant Council

## Need More Information

Latin Name <sup>1</sup>	Common Name	Habitats of Concern and Other Comments	Distribution <sup>2</sup>
<i>Acacia dealbata</i>	silver wattle	Aggressive in natural areas?	SnFRB,SCoRO,SCoRI,CCo
<i>Acacia decurrens</i>	green wattle	Sometimes confused with <i>A. dealbata</i> ; aggressive in natural areas?	Unknown
<i>Acacia melanoxylon</i>	blackwood acacia	Reported from S.F. Bay area, central coast, Santa Cruz Is.; spreads slowly; other areas?	SnFrB,SCoRO,SCo,CCo
<i>Aeschynomene rudis</i> <sup>B</sup>	rough jointvetch	Princeton area, Colusa Co.; pest of rice crops; potential threat to riparian, wetland habitats?	ScV
<i>Agrostis avenacea</i>	Pacific bentgrass	Invading vernal pools in San Diego area; attempts at manual eradication unsuccessful so far; problem in other areas?	sNCo,sNCoR,SNF, GV,CW,nSCo
<i>Aptenia cordifolia</i>	red apple	Habitats where invasive?	CCo,SCo,sChI
<i>Asphodelus fistulosus</i>	asphodel	Common in SCo highway rights-of-way, other disturbed sites; threats to wildlands?	sSnJV,SCo
<i>Carduus acanthoides</i> <sup>A</sup>	giant plumeless thistle	Threatens wildlands?	NCoRI,nSN,SnFrB, nSCoRO,MP
<i>Cistus ladanifer</i>	gum cistus	Horticultural; invades coastal sage scrub, chaparral; areas where problematic?	sCCo,SnGb
<i>Cordyline australis</i>	New Zealand cabbage	Infestation at Salt Point State Park; bird-dispersed; other problem areas?	Not in Jepson
<i>Cotoneaster</i> spp. (exc. <i>C. pannosus</i> , <i>C. lacteus</i> )	cotoneaster	Horticultural; bird-distributed; which species are problems in wildlands?	Unknown
<i>Cupressus macrocarpa</i>	Monterey cypress	Native only to Monterey Peninsula; planted and naturalized CCo, NCo; threat to wildlands?	CCo
<i>Descurainia sophia</i>	flixweed, tansy mustard	Entering Mojave wildlands through washes; threat to wildlands?	CA
<i>Dimorphotheca sinuata</i>	African daisy, Cape marigold	Horticultural; reported as invasive in w. Riverside Co., Ventura Co.; problem elsewhere?	SnJV,SCoRO,SCo,PR
<i>Echium candicans</i> , <i>E. pininana</i>	pride of Madeira, pride of Teneriffe	Horticultural; riparian, grassland, coastal scrub communities; spreads by seed	CCo,SnFrB,SCo,sNCo
<i>Ehrharta longiflora</i>	veldt grass	Reported from San Diego	Not in Jepson
<i>Erica lusitanica</i>	heath	Threat to wildlands?	NCo (Humboldt Co.)
<i>Euphorbia lathyris</i>	caper spurge, gopher plant	Invades coastal scrub, marshes, dunes; Sonoma, Marin cos.; threat to wildlands?	NCo,CCo,GV,SCo
<i>Gazania linearis</i>	gazania	Horticultural; invades grassland in S.F., coastal scrub?	CCo,SCo
<i>Glyceria declinata</i>		Although reported from Central Valley vernal pools, genetic research is needed to confirm identity; plants that have been called <i>G. declinata</i> key in Jepson to native <i>G. occidentalis</i>	Uncertain; not in Jepson
<i>Hedera canariensis</i>	Algerian ivy	Horticultural; invasive in riparian areas in SoCal?	Not in Jepson
<i>Hirschfeldia incana</i>	Mediterranean or short-pod mustard	Increasing in western, southern Mojave; threat to wildlands?	NCo,SNF,GV,CW,SCo, DMoj
<i>Hypericum canariense</i>	Canary Island hypericum	Reported in San Diego area, coastal sage scrub, grassland; threat to wildlands?	SCo
<i>Hypochaeris radicata</i>	rough cat's-ear	Widespread in coastal grasslands, wetlands; threat to wildlands?	NW,CaRF,nSNF,ScV, CW,SCo
<i>Isatis tinctoria</i> <sup>B</sup>	dyers' woad	Well-known invader in Utah; threat to wildlands?	KR,CaR,nSNH,MP
<i>Ligustrum lucidum</i>	glossy privet	Horticultural; spreading rapidly on Mendocino coast; problem in other areas?	NCo; not in Jepson
<i>Limonium ramosissimum</i> ssp. <i>provinciale</i>	sea lavender	Reported spreading in Carpinteria Salt Marsh; problem in other areas?	Not in Jepson

# Exotic Pest Plants of Greatest Ecological Concern in California

## Need More Information: Continued

Latin Name <sup>1</sup>	Common Name	Habitats of Concern and Other Comments	Distribution <sup>2</sup>
<i>Ludwigia uruguayensis</i> (= <i>L. hexapetala</i> )	water primrose	Invasive in aquatic habitats; non-native status questioned?	NCo,sNCoRO,CCo, SnFrB,SCo
<i>Malephora crocea</i>	ice plant	Invades margins of wetlands, bluffs along SCo	CCo,SCo,sChI
<i>Maytenus boaria</i>	mayten	Horticultural; scattered in riparian forests, ScV; east SnFrB	ScV,SnFrB
<i>Mesembryanthemum nodiflorum</i>	slender-leaved iceplant	Abundant on Channel Islands; invades wetlands; habitats where problematic?	SnFrB,SCo,ChI
<i>Nicotiana glauca</i>	tree tobacco	Disturbed places; not very competitive with natives in coastal scrub, chaparral; spreading along Putah Creek (Yolo Co.); problems elsewhere?	NCoRI,c&sSNF, GV,CW,SW,D
<i>Oxalis pes-caprae</i>	Bermuda buttercup	Invades disturbed sites; invasive in undisturbed habitats?	NCo,NCoRO,CCo, SnFrB,SCoRO,SCo
<i>Parentucellia viscosa</i>		Threat to NCo (Humboldt Co.) dune swales?	NCo,NCoRO,CCo,SCo
<i>Passiflora caerulea</i>		Horticultural; reported from SoCal; threat to wildlands?	SCo; not in Jepson
<i>Pennisetum clandestinum</i> <sup>FC</sup>	Kikuyu grass	Disturbed sites, roadsides; threat to wildlands?	NCo,CCo,SnFrB,SCo, Santa Cruz Is.
<i>Phyla nodiflora</i>	mat lippia	Most varieties in CA are native; taxonomy unclear; status of plants in vernal pools, wetlands?	NW(except KR,NCoRH), GV,CCo,SnFrB,SCo, PR,DSon
<i>Pinus radiata</i> cultivars	Monterey pine	Cultivars invading native Monterey, Cambria forests, where spread of pine pitch canker is a concern	CCo
<i>Piptatherum miliaceum</i>	smilo grass	Aggressive in SoCal creeks, canyons; threats to wildlands?	NCo,GV,CW,SCo
<i>Pistacia chinensis</i>	Chinese pistache	Horticultural; invades riparian areas and woodlands in ScV	ScV
<i>Prunus cerasifera</i>	cherry plum	Oak woodland, riparian areas; esp. Marin, Sonoma cos.; bird-distributed; problems elsewhere?	SnFrB,CCo
<i>Pyracantha angustifolia</i>	pyracantha	Horticultural; spreads from seed in S.F. Bay area; bird-distributed; problem elsewhere?	sNCoRO,CCo,SnFrB, SCo
<i>Salsola soda</i>	glasswort	Threat to salt marshes?	nCCo,SnFrB
<i>Salsola tragus</i> <sup>C</sup>	Russian thistle, tumbleweed	Abundant in dry open areas in w. Mojave Desert, Great Basin; not limited to disturbed sites; threats?	CA
<i>Salvia aethiopi</i> <sup>B</sup>	Mediterranean sage	Creates monocultures in E. Oregon grasslands; threat to CA wildlands?	MP
<i>Stipa capensis</i>		Distribution and threats?	Not in Jepson
<i>Tamarix aphylla</i>	athel	Spreading in Salton Sea area; threats to wildlands?	nSnJV,nSCo,D
<i>Tanacetum vulgare</i>	common tansy	Jepson reports as uncommon, escape from cultivation in urban areas; problem in wildlands?	NCo,NCoRO,CaRH, SCoRO
<i>Verbena bonariensis</i> , <i>V. litoralis</i>	tall vervain	Horticultural; invades riparian forests, wetlands; extensive along ScV riparian corridors; roadsides (Yuba Co.); elsewhere?	ScV,nSnJV,nSnFrB,CCo



# The California Exotic Pest Plant Council

## Annual Grasses

Latin Name <sup>1</sup>	Common Name	Habitats of Concern and Other Comments	Distribution <sup>2</sup>
<i>Aegilops triuncialis</i> <sup>B</sup>	barbed goatgrass	Serpentine soils, grasslands	sNCoR, CaRF, n&cSNF, ScV, nCW
<i>Avena barbata</i>	slender wild oat	Lower elev. in SoCal; coastal slopes, coastal sage scrub, disturbed sites	CA-FP, MP, DMoj
<i>Avena fatua</i>	wild oat	Lower elev. in SoCal; coastal slopes, coastal sage scrub on deeper soil, disturbed sites	CA-FP, MP, DMoj
<i>Brachypodium distachyon</i>	false brome	Expanding in SoCal; common in Orange Co.	sNCoR, sCaRF, SNF, GV, CW, SCo, sChI
<i>Bromus diandrus</i>	ripgut brome	Coastal dunes, coastal sage scrub, grasslands	CA
<i>Lolium multiflorum</i>	Italian ryegrass	Wetland areas, esp. vernal pools in San Diego Co.; common in disturbed sites	CA-FP
<i>Schismus arabicus</i>	Mediterranean grass	Threat to Mojave and Colorado desert shrublands?	SnJV, CW, sChI, D
<i>Schismus barbatus</i>	Mediterranean grass	Threat to Mojave and Colorado desert shrublands?	SnJV, SW, D

## Considered, but not listed

Latin Name <sup>1</sup>	Common Name	Habitats of Concern and Other Comments
<i>Albizia lophantha</i>	plume acacia	Not invasive
<i>Anthoxanthum odoratum</i>	sweet vernal grass	Disturbed sites on coast; Marin, Sonoma, Mendocino cos.
<i>Carpobrotus chilensis</i>	sea fig	Native status in question; not a threat to wildlands
<i>Centranthus ruber</i>	red valerian	Horticultural; roadcuts in Marin Co.; not a threat to wildlands
<i>Convolvulus arvensis</i> <sup>C</sup>	field bindweed	Disturbed sites; ag lands
<i>Coprosma repens</i>	mirror plant	No evidence of wildland threat
<i>Crocosmia x crocosmiiflora</i>		Generally in disturbed coastal, urban areas, roadsides
<i>Digitalis purpurea</i>	foxglove	Horticultural; scattered in prairies, meadows, disturbed sites; not a major wildland threat
<i>Dipsacus sativus</i> , <i>D. fullonum</i>	wild teasel, Fuller's teasel	Roadsides, disturbed sites
<i>Fumaria officinalis</i> , <i>F. parviflora</i>	fumitory	S.F. Bay area, Monterey Bay salt marshes, sandy disturbed sites
<i>Medicago polymorpha</i>	California bur clover	Grasslands, moist sites; mainly restricted to disturbed sites
<i>Melilotus officinalis</i>	yellow sweet clover	Restricted to disturbed sites in CA
<i>Nerium oleander</i>	oleander	Horticultural; not invasive, although reported from riparian areas in Central Valley, San Bernardino Mtns.
<i>Picris echioides</i>	bristly ox-tongue	Disturbed areas
<i>Silybum marianum</i>	milk thistle	Disturbed areas, especially overgrazed moist pasturelands; may interfere with restoration
<i>Xanthium spinosum</i>	spiny cocklebur	Identified as native in <i>The Jepson Manual</i> (Hickman, 1993) and <i>A California Flora</i> (Munz and Keck, 1968); restricted to disturbed areas
<i>Zantedeschia aethiopica</i>	calla lily	Horticultural; mainly a garden escape in wet coastal areas
<i>Zoysia cultivars</i>	Amazoy and others	Horticultural; no evidence of wildland threat